

seq_documentation_block:
 LOCUS CELK09H9 37881 bp DNA INV 22-JAN-1998
 DEFINITION Caenorhabditis elegans cosmid K09H9.
 ACCESSION AF043700
 VERSION AF043700.1 GI:2804458
 KEYWORDS
 SOURCE Caenorhabditis elegans strain=Bristol N2.
 ORGANISM Caenorhabditis elegans
 Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida;
 Rhabditoidea; Rhabditidae; Peloderinae; Caenorhabditis.
 REFERENCE 1 (bases 1 to 37881)
 AUTHORS Wilson,R., Ainscough,R., Anderson,K., Baynes,C., Berks,M.,
 Bonfield,J., Burton,J., Connell,M., Copsey,T., Cooper,J.,
 Coulson,A., Craxton,M., Dear,S., Du,Z., Durbin,R., Favello,A.,
 Fulton,L., Gardner,A., Green,P., Hawkins,T., Hillier,L., Jier,M.,
 Johnston,L., Jones,M., Kershaw,J., Kirsten,J., Laister,N.,
 Latreille,P., Lightning,J., Lloyd,C., McMurray,A., Mortimore,B.,
 O'Callaghan,M., Parsons,J., Percy,C., Rifken,L., Roopra,A.,
 Saunders,D., Shownkeen,R., Smaldon,N., Smith,A., Sonnhammer,E.,
 Staden,R., Sulston,J., Thierry-Mieg,J., Thomas,K., Vaudin,M.,
 Vaughan,K., Waterston,R., Watson,A., Weinstock,L.,
 Wilkinson-Sproat,J. and Wohldman,P.
 TITLE 2.2 Mb of contiguous nucleotide sequence from chromosome III of C.
 elegans
 JOURNAL Nature 368 (6466), 32-38 (1994)
 MEDLINE 94150718
 REFERENCE 2 (bases 1 to 37881)
 AUTHORS Madsen,C., Graves,T. and Blair,T.
 TITLE The sequence of C. elegans cosmid K09H9
 JOURNAL Unpublished (1998)
 REFERENCE 3 (bases 1 to 37881)
 AUTHORS Waterston,R.
 TITLE Direct Submission
 JOURNAL Submitted (20-JAN-1998) Department of Genetics, Washington
 University, 4444 Forest Park Avenue, St. Louis, Missouri 63108, USA
 COMMENT Submitted by:
 Genome Sequencing Center
 Department of Genetics, Washington University,
 St. Louis, MO 63110, USA, and
 Sanger Centre, Hinxton Hall
 Cambridge CB10 1RQ, England
 e-mail: rw@nematode.wustl.edu and jes@sanger.ac.uk

NOTICE: This sequence may not be the entire insert of this clone.
 It may be shorter because we only sequence overlapping sections
 once, or longer because we provide a small overlap between
 neighboring submissions.

This sequence was finished as follows unless otherwise noted:
 all regions were double stranded or sequenced with an alternate
 chemistry; an attempt was made to resolve all sequencing problems,
 such as compressions and repeats; all regions were covered by
 sequence from more than one subclone

NEIGHBORING COSMID INFORMATION:

The 5' cosmid is C45E1, 200 bp overlap; 3' cosmid is Y54E10. Actual
 start of this cosmid is at base position 197 of CELK09H9; actual
 end is at 37881 of CELK09H9.

NOTES:

Coding sequences below are predicted from computer analysis, using
 the program Genefinder(P. Green and L. Hillier, ms in preparation).

FEATURES
 source Location/Qualifiers
 1. .37881
 /organism="Caenorhabditis elegans"
 /strain="Bristol N2"

```

/db_xref="taxon:6239"
/chromosome="I"
/clone="K09H9"
gene complement(11887. .13324)
/gene="K09H9.4"
CDS complement(join(11887. .12723,13250. .13324))
/gene="K09H9.4"
/note="similar to reverse transcriptase (Pfam; rvt, score;
10.85)"
/codon_start=1
/evidence=not_experimental
/protein_id="AAB97571.1"
/db_xref="GI:2804461"
/translation="MFAVCFISIFICFFLSSFLFLTLVNESFFKPLLFGIYVNDISSIL
PEKVACKQFADDTKLYVSTPKAETENNLQAALDAVVDWTRGAKLTLSQSKTVHVTVGR
CRKDFKYHLDGYPIERKTITRDLGFLISEKLDSEHWKKSINLAKFQLANIFNQYSTS
NKKLMILLYKTFIRPRLEYGTVVSSPTKKSDEKAIESVQNAFTRRLYSRIKKRYINPT
DKDYKTSMERNELFNLTSTRRKIIDRIQVIRMNTGKVDLKTSEFFEQQETHTRSKK
KYVVRTGKTKLRRHFFVNRTLSTMKQH"
gene 15300. .16502
/gene="K09H9.3"
CDS join(15300. .15558,15910. .16502)
/gene="K09H9.3"
/note="Similar to cuticular collagen"
/codon_start=1
/evidence=not_experimental
/protein_id="AAB97570.1"
/db_xref="GI:2804460"
/translation="MWKFVIGSVSTAAFFVSVCITYFSVSMLELDSFRLSIRDELED
WKEVSDDTWQRLNDMTSRNVPKKTNILKEFVRGKRVNGNDQCNAEPTKNCPPGPGGE
KGS LGNPGQPGPDGVDGNDGVDGVDVVIHDMPNPKCEIKCPAGPPGPPGPGPLGPRGD
KGPSGPRGALGDQGETGPVGEIGDQGPSPSAGRAGPRGQAGQP GTIAIVGLAGRPGPQ
GPLGEPGAQGEFPGVDGKD GALGAPGRKAENGRPGKRGKDG VAGVPGTRGKEGEDAGYC
TCPPRTA"
gene complement(17417. .21259)
/gene="K09H9.5"
CDS complement(join(17417. .17689,17939. .18115,18335. .18665,
19906. .19976,20133. .20192,20243. .20356,21065. .21259))
/gene="K09H9.5"
/note="contains similarity to S. cerevisiae SSF1
(SW:P38789) and SSF2 (SW:Q12153)"
/codon_start=1
/evidence=not_experimental
/protein_id="AAB97572.1"
/db_xref="GI:2804462"
/translation="MKILTVFLLVAISANCATPCDHQDAVKSMCECKPLLGLQLAGEMAK
HADIPPPDELKEFSLCEQTLACMEQVKCDLLKNATGLIAKTCTGIKLMSGPFGQCID
DLRSTPPSLKKYPCGRFLKTEKGRPGNCQMYQDELECTKHLTSDRFTMVLFDDKVPK
EYFTLKFNFYVDFQAENPKYRCVFGKCHVVVSFYFFQKFLRVKYGALHNFFYVFKFSYH
KILCAWNQVYCFDAPCLKFVYFFKFARKKWSLACFHELNASKVLLLEIFLVIPIYM
LFLFPWWLMWIGFHLVLILVTIYALRKKKHRFMWPMVLTLSQFLIWGLLTVIQLLIA
FFDTQSFLNFYSQGHHEEFFEKALVVIVVKKLLVFAIGAFLWFRFSVYYATKNYYSRL
EGQVSLTSTVILLQ"
gene complement(22612. .25875)
/gene="K09H9.6"
CDS complement(join(22612. .23071,23125. .23648,23857. .23899,
24184. .24309,24361. .24437,25223. .25404,25461. .25875))
/gene="K09H9.6"
/note="contains similarity to human RNA-binding protein
FUS/TLS (SW:Q28009)"
/codon_start=1
/evidence=not_experimental
/protein_id="AAB97575.1"
/db_xref="GI:2804465"
/translation="MKMKKGKKQKQKSGAHNRGNVDALSQKDALYHQEKFKVKKLQKQKF
LENKEIELARQPHCLVIHRGDVGKYVKGLES DLRLNVEPNTAKNLKILKRNNIKDFIV
NGAVLGVNTMMVLTSSDASLQLRMMRFSQGP T LSKVQYSLARHVVNCKRPVATDK
LFKSSPLVVMNGFGDGTQKHLSLVQTFIQNMFP SINVDITQLGNLKRCLIVSYDEETD
EIQMRHFAIRVVASGLNKS VKKLMQAEKTMGKNIPNLSTYKDISDYFLNPGQFRIRTK
LNFSNINHKKIIKKYSIYNLNFPSFSSPGQLSDSEFEGDQQEVELPQDIS EGRGCGVQG
KSNVRLHEIGPRLTLELVKIEEGIDEGEVLVYHKHNAKTPDELIKLRAHMDKKKQMKKR

```

```

REQESEQRVIRRLTIVKEQQDAEEAEVKAIRENAARKQAAATGQVEEVENQKEKDREI
AMNRERDLKRANEWTSEASKRPRYEDSRGGFRGGFRGRGEDRGGFRGRGGDRGGFR
GRDRDGGGFRGRSVDRGGFRGGGGDRGGFRGRSSDRGGDRGGFRGRSGDRDGGFRGGF
GGRGGGGFRGGDRGGFRGGGGGGFRGGRGDRGGGFRGGRR"
misc_feature 26104. .26105
              /note="SL1 trans-splice site; see EST yk418f6.5"
gene          26108. .28395
              /gene="K09H9.2"
CDS           join(26108. .26329,26385. .26654,26729. .27064,27249. .27346,
              27392. .27515,27892. .28395)
              /gene="K09H9.2"
              /note="coded for by C. elegans cDNA yk418f6.5; coded for
              by C. elegans cDNA yk414d10.5; coded for by C. elegans
              cDNA yk418f6.3"
              /codon_start=1
              /protein_id="AAB97569.1"
              /db_xref="GI:2804459"
              /translation="MNRFTVTRSKPTQPTKRVAPAPASGNEENIVAPEPQKTLLEPSVM
              EKLQHAIREKDAQFTFDILSKNRFPDQAMNKTMTKMEFSPDYSDPSSEFMLLSVDES
              IGAFSEGOQLTIRGDSRDDAVLCTDNATFPMKIIESATTVLLHLKCLEAPDPTLPNF
              QVKTIGGKCFSTGELCPQVDVLSIGRLKMDLREQELRWWDKREEEENLKGKYLRLDL
              NSVQMSVVEVKIALNDLPVVKFSSGRVRYLSHKYRGEMGLIVELEDDSDIGDVKLEK
              YFPEKKLNFISFRCFPTKIVKTENFSFSEVLLFFSVFSGKTEFFNFVSFVKQKSK
              KNPEKHENSFVSFFSISRASLRSLPENVPDEVIDWFLNSRCEQNPEDPTTYRLPEI
              NLIRDLTVVILYGTQKMPLOQFRELHLKILPYGVTMNIQLEGVADISDAFPGKVISY
              LSPEDLPDTIKERMLYLFYRKLWSMEQLRPYFKDVYKSKVAFDKYVVQNCYALSES
              NEMLYCGVR"
gene          complement(28869. .30417)
              /gene="K09H9.7"
CDS           complement(join(28869. .28914,28963. .29124,29173. .29257,
              29731. .29862,29998. .30087,30393. .30417))
              /gene="K09H9.7"
              /codon_start=1
              /evidence=not_experimental
              /protein_id="AAB97573.1"
              /db_xref="GI:2804463"
              /translation="MSTAVFANGNQRFPMNSTADSGTFVAKFNAWIDFIGSKKAFFTN
              LKILAENGIHESVIRALVLHNAKLPIPKCVATESSVEIYNSATISGIFSAFSVRCKKC
              SDNVTIPNLYKHKMQHVEKTRYSCSTCSGRFETEEAGLHLLIHRRRRNKVLKDFEWDG
              EAEKRIDQLLMRSVARKRD"
gene          30469. .33659
              /gene="K09H9.1"
CDS           join(30469. .30737,30856. .30992,31134. .31420,32381. .32483,
              32992. .33659)
              /gene="K09H9.1"
              /note="similar to C. elegans PHA-1 (GB:X74228)"
              /codon_start=1
              /evidence=not_experimental
              /protein_id="AAB97574.1"
              /db_xref="GI:2804464"
              /translation="MFTEHLSSELAEPSPNFRNCETRGKELRPQRAVNIVSRGTREM
              SGNDITYPREHRLHLKEFLNSRVFAAQFLQFGKIFKKYTSKREMRQILAFSVDFLRSL
              LSLVNKCLYFYMERNNFLFFVEIGLSEDRSLASLNSIFEEISSNSQPSHHHTNDSITL
              PYDATIQKIAEKEKNLSKLLKELSIVDSSLEEEKASFECTQSALLKEKGKIEKDKLML
              REEAQKQASMAEMTTIVDSVFNNEAIVSRVLEKTSKNSISNLDLRVQLDCLGFGAIS
              PIARFDVLPSTQPQSMYILEEVQINVQFAKTLIDELDKDES LFDNFANSQRIFPTKR
              VTVEFPMKYIQLSIGNLEKLIKCMKMSKEPQRNTTTIFRMHLQDANFSQSVNRVFN
              IILCDEIPEIFHSSENCKSDDTSDCWHLETIQIPEQKANQFYGDDTILTGKCFCLKN
              LRLNSCINYLLEKQFLIQFFKEKTGFMRFYDLVS"

```

```

alignment_scores:
    Quality: 38.00          Length: 7
    Ratio: 5.429           Gaps: 0
    Percent Similarity: 100.000    Percent Identity: 100.000

```

```

alignment_block:
US-09-403-269-7 x CELK09H9 ..

```

```

Align seg 1/1 to: CELK09H9 from: 1 to: 37881

```

```

1 PheLeuSerGluGlnHisGly 7

```

|||||
10126 TTCTATCCGAGCAACATGGT 10146

RESULT 3
 DRORCPA/c
 LOCUS DRORCPA 5619 bp mRNA INV 17-SEP-1999
 DEFINITION Drosophila melanogaster ring canal proteins (kel) mRNA, complete cds.
 ACCESSION L08483
 VERSION L08483.1 GI:577275
 KEYWORDS intercellular bridge; ring canal protein.
 SOURCE fruit fly.
 ORGANISM Drosophila melanogaster
 Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
 Pterygota; Neoptera; Endopterygota; Diptera; Brachycera;
 Muscomorpha; Ephydroidea; Drosophilidae; Drosophila.
 REFERENCE 1 (bases 1 to 5619)
 AUTHORS Xue, F. and Cooley, L.
 TITLE kelch encodes a component of intercellular bridges in Drosophila egg chambers
 JOURNAL Cell 72 (5), 681-693 (1993)
 MEDLINE 93201592
 PUBMED 8453663
 REFERENCE 2 (bases 1 to 5619)
 AUTHORS Robinson, D.N. and Cooley, L.
 TITLE Examination of the function of two kelch proteins generated by stop codon suppression
 JOURNAL Development 124 (7), 1405-1417 (1997)
 MEDLINE 97236487
 PUBMED 9118811
 REFERENCE 3 (bases 1 to 5619)
 AUTHORS Cooley, L.
 TITLE Direct Submission
 JOURNAL Submitted (13-JAN-1993) Department of Genetics, Yale University School of Medicine, New Haven, CT 06510, USA
 COMMENT On Nov 28, 1994 this sequence version replaced gi:158234.
 FEATURES
 Location/Qualifiers
 source 1..5619
 /organism="Drosophila melanogaster"
 /db_xref="taxon:7227"
 /dev_stage="0-4 hr embryos"
 /tissue_lib="Nick Brown"
 source 1..183
 /organism="Drosophila melanogaster"
 /db_xref="taxon:7227"
 /tissue_type="0-4 hr embryos"
 /tissue_lib="Nick Brown"
 misc_feature 1..183
 /gene="kel"
 /note="sequence determined from genomic DNA clone"
 gene 1..5619
 /gene="kel"
 /note="kelch"
 CDS 279..4712
 /gene="kel"
 /note="ORF2; putative stop codon suppression by selenocysteine incorporation"
 /codon_start=1
 /transl_except=(pos:2346..2348,aa:OTHER)
 /product="ring canal protein"
 /protein_id="AAA53472.2"
 /db_xref="GI:5902659"
 /translation="MIALSALLTKYITIGIMSNLSNGNSNNNNQQQQQQQQQNPQQPA
 QNEGGAGAEFVAPPPGLGAAGVAAQQQRNRLQQQQQQHHHQPAAEGSGLERGSC
 LLRYASQNSLDESSQKHVQRPNGKERGTGQYSNEQHTARSDAMNEMRKQQLCDVI
 LVADDVEIHHRMVLASCSPIFYAMFTSFEESSRQARITLQSV DARALELLIDYVYTAT
 VEVNEDNVQVLLTAANLLQLTDVRDACCDFLOTQLDASNCLGIREFADIHACVELLNY
 AETYLEQHFNEVIQDFEFLNLSHEQVISLIGNDRISVPNEERVYECVIAWLRDVP
 EQFTSLLMEHVRLPFLSKEYITQVRDKEILLEGNIVCKNLIEALTYHLLPTETKSAR
 TVPRKPVGMPKILLVIGGQAPKAIRSVIEWYDLREEKQYQAEMPNNRRCSGLSVLGDK
 VYAVGGFNGSLRVRTVDVYDPATDQWANCNMEARRSTLGVAALNGCIYAVGGFDGTT
 GLSSAEMYDPKTDIWRFIASMTSRSSVGVGVVHGLLYAVGGYDGFTRQCLSSVERYN
 PDTDTWVNVAEMSSRRSGAGVGLNNILYRVGGHDGPMVRRSVEAYDCETNSWRSVAD
 MSYCRRNAGVVAHDGLLYVVGDDGTSNLASVEVYCPDSDSWRILPALMTIGRSYAGV"

CMIDKPMXMEEQGALARQAASLAIALLDDENSQAEGTMEGAIGGAIYGNLAPAGGAAA
AAAPAAPAQAPQPNHPHYENIYAPIGQPSNNNNNSGNSNQAAAIAANANAPANAEEIQ
QQQQPAPTEPNANNNPQPPTAAAPALSQQQQQQQAQPQQPQRILPMNNYRNDLYDRSA
ADGVCSAYDVPRAVRSGLYRRNFRIDMQNGNRCGSGLRCTPLYTNSRSNCQRQSF
DTESTDGYNLPHYAGAGTMRYEYEQIRDEPLYRTSAANRVPLYTRLDVLGHGIGRIE
RHLSSSCGNIDHYNLGGHYAVLGHSHFGTVGHIRLNANGSGVAAPGVAGTGTGNCV
QGYMTAAGSTVPVEYANVKVPKNSASSFFSCLHGNSQSMTNIYKTSGTAAARMAGHN
SPLTPNVSMERASRSASAGAAGSAAAVEEHSADSIPSSSNINANRTTGAIKVKTA
NKPAGESGSSSTAASPILDKTTSTGSGKSVTLAKKTSTAAARSSSGDGTNGNGLNRI
SKSSLQWLLVNKWLPLWIGQGPDCVIDFNFMSRDCVSCDTASVASQMSNPYGT
SGLPQDMVRFQSSCAGACAAAGAASTIRRDANASARPLHSTLSRLRNGEKRPNRVAG
NYQYEDPSYENHVQWQNGFEFGRSRDYDPNSTYHQQRPPLQARSESPTFSNQRRRL
QRQGAQAQQSSQPKPPGSPDPYKYNKLADNNTFKPKPIAADELEGAVGGAVAL
PEVDIEVVDVPSVLSNETETTSSQNNLPSTTNSNNLNEHND"

CDS

279. .2348
/gene="kel"
/note="ORF1"
/codon_start=1
/product="ring canal protein"
/protein_id="AA53471.1"
/db_xref="GI:577276"
/translation="MIALSALLTKYTIGIMSNLSNGNSNNNNQQQQQQQGNPQQPA
QNEGGAGAEFVAPPPGLGAAGVGAAMQQRNRLQQQQQHHHQNPAEGLERGSC
LLRYASQNSLDESSQKHVQRPNGKERGTGQYSNEQHTARSFDMNEMRKQKQLCDVI
LVADDVEIHHRMVLASCPYFYAMFTSFEESSQARITLQSVDALELLIDYVYTAT
VEVNEDNVQVLLTAANLLQLTDVRDACCDFLQTLQDASNCLGIREFADIHACVELLNY
AETYIEQHFNVEVIQFDEFLNLSHEQVISLIGNDRISVPNEERVYECVIAWLRDVP
EQFTSLMEHVRLPFLSKEYITQVRDKEILLEGNIVCKNLIIEALTYHLLPTETKSAR
TVPRKPVGMPKILLVIGGQAPKAIRSVWYDLREEKQYQAAEMPNNRRCSRGLSVLGD
VYAVGGFNGSLRVRTVDVYDPATDQWANCNMEARRSTLGVAALNGCIYAVGGFDGTT
GLSSAEMYDPKTDIWRFIASMSTRSSVGVVHGLLYAVGGYDGFTRQCLSSVERYN
PDTDTWVNVAEMSSRRSGAGVGLNNILYRVGGHGMVRRSVEAYDCETNSWRSVAD
MSYCRNAGVVAHDGLLYVVGDDGTNSLASVEVYCPDSDSWRILPALMTIGRSYAGV
CMIDKPM"

terminator

2346. .2348
/gene="kel"
/evidence=experimental

BASE COUNT 1523 a 1405 c 1394 g 1297 t
ORIGIN

Query Match 70.4%; Score 17.6; DB 3; Length 5619;
Best Local Similarity 68.0%; Pred. No. 2.7e+02;
Matches 17; Conservative 3; Mismatches 5; Indels 0; Gaps 0;

Qy 1 ccgaattcaargcnatgytnccnyt 25
|||||||: ||: ||: |
Db 4306 CCGAATCAAAACATTCTGCCACT 4282